

ACRŌ GLASS

✉ info@europratik.com | follow us on
🌐 www.europratik.com |  

Dealer / Distributor

Mobile App Search : europratik



In recent time fake products have created a serious problem across country Always buy Original EUROPRATIK products. Before Buying, please check EUROPRATIK sticker & ensure weather you have bought Original EUROPRATIK product/s.

Incase you have any doubts, please email us on info@europratik.com

Euro Pratik products adds natural beauty to your interiors. Color Variance, Slubs, Weave irregularities and Shading that appears in these panels are to enhance natural beauty and are not imperfections. Utmost care has been taken to give accurate description & technical specification. Errors and omissions, if any please excuse. Technical specifications and product are subject to change without prior intimation. Use same batch material to avoid color variation. EURO PRATIK warrants that all products are free from manufacturing defects and perfectly fit for use in normal conditions. No Guarantee/Warranty of the Product after installation. (Dimension Tolerance +/- 5-10%)

ACRŌ GLASS



ACRŌ GLASS

www.europratik.com





ACRO
GLASS

Attract grace
with these elite
creations

www.euopratik.com



In recent time fake products have created a serious problem across country. Always buy Original EUROPRATIK products. Before Buying, please check EUROPRATIK sticker & ensure whether you have bought Original EUROPRATIK product/s.

In case you have any doubts, please email us on info@euopratik.com

ABOUT US

ACRO GLASS

Euro Pratik is an innovative designer and importer of products, with an objective of creating world-class interior & exterior environment. At our core, we are design driven and we apply that creative thought process to both product development and internal operations.

From the house of Euro Pratik, comes to you Acro Glass! A ravishing collection of pure acrylic panels that mimics glass properties but are immensely strong and incredibly durable.



HIGH GLOSS
FINISH



ECO
FRINDLY



LIGHT
WEIGHT



SCRATCH
RESISTANT



WATER
RESISTANCE




HYGIENIC



PURE
ACRYLIC



NATURALLY




WOODEN

The best of nature is presented here in the form of highly detailed wooden designs.




In recent time fake products have created a serious problem across country Always buy Original EUROPRATIK products. Before Buying, please check EUROPRATIK sticker & ensure whether you have bought Original EUROPRATIK product/s.


Incase you have any doubts, please email us on info@europratik.com



4511 (FULLSHEET VIEW)



4512 (FULLSHEET VIEW)



4511 SMOKED PALISANDRO SANTOS HZ

Organic Radiance

Always regal and forever refreshing, this wooden series is nothing but mesmerizing.



4512 ZARICOTE HORIZONTAL



Size: 2440mm * 1220mm(8ft * 4ft) * 1.4mm

-  HIGH GLOSS FINISH
-  ECO FRIENDLY
-  LIGHT WEIGHT
-  SCRATCH RESISTANT
-  WATER RESISTANCE
-  HYGIENIC CLEANLINESS
-  PURE ACRYLIC



4513 ZARICOTE VERTICAL



4514 SMOKE SPANISH EUCALYPTUS HZ

Fabulous Nature

Undeniable aura of splendid marvelousness comes to life with these wooden designs.




4513 (FULLSHEET VIEW)



4514 (FULLSHEET VIEW)



USED LAMINATE
4513



4515 (FULLSHEET VIEW)



4516 (FULLSHEET VIEW)



4515 SMOKED EXOTIC TEAK

Wooden Wonders


Give space to the perennial soul of nature that comes along with these wooden impressions.



4516 METALLIC BROWN MAPPA BURL BOX



Size: 2440mm * 1220mm(8ft * 4ft) * 1.4mm

-  HIGH GLOSS FINISH
-  ECO FRIENDLY
-  LIGHT WEIGHT
-  SCRATCH RESISTANT
-  WATER RESISTANCE
-  HYGIENIC CLEANLINESS
-  PURE ACRYLIC



4517 METALLIC MAPPA BURL HZ




4518 PALISANDRO SANTOS BOX

Impressive Designs

Glorious in every sense of the word, this wooden series is simply impeccable.




4517 (FULLSHEET VIEW)




4518 (FULLSHEET VIEW)



USED LAMINATE
4518



I
o
c
n
i
c



4519 (FULLSHEET VIEW)



USED LAMINATE
4519



4519 METALLIC KAWAZINGO CROTCH HZ



CHARISMATIC



MARBLE

Nothing screams elegance and royalty as does a marble finish surface. Here are a few for you.



Size: 2440mm * 1220mm(8ft * 4ft) * 1.4mm

All-time Favorites

Let class and charisma ooze from your ambience with surfaces that replicate natural marble.



4525 ITALIAN GREY



4526 MILANO GREY



4527 SICILIAN GOLD



4528 NAPOLI GREY



T I M E L E S S



CONCRETE

Rough and rugged, the real impressions of concrete enhanced for modern decors.

Flawless Finish

Refined designs are not everyone's taste. For those trendsetters, here is a unique range of surfaces.




4521 CORAL CREW



4522 LIGHT BLUE CREW



4523 SEAL CREW



STUNNING

SOLID

Filled with verve and vibrancy, spread beauty all around with this Solid color series.



Size: 2440mm * 1220mm(8ft * 4ft) * 1.4mm

ACRO GLASS


Captivating Shades




Luxebond Adhesive -
The perfect partner for
your Acro Glass
surfaces.




Size: 2440mm * 1220mm(8ft * 4ft) * 1.4mm




4319 CHARCOAL




4320 CHOCOLATE



4321 BLACK CURRANT



4322 WALNUT



4323 BLACK



4324 GREY



4325 RUSSET



4326 OLIVE



4327 SALMON



4328 MOCHA



USED LAMINATE
4329



4329 DARK GREEN



4330 SIENNA



4331 SILVER

Essential Colors



GLITTERY



SPARKLE

Shine bright and reflect opulence that is a notch above with this sparkling series of Acro Glass.




4411 SHINY MIST




4412 SHINY IVORY



4413 SHINY TRUFFLE



4414 SHINY CHOCO



4415 SHINY MERLIN




4416 SHINY DOVE

Size: 2440mm * 1220mm(8ft * 4ft) * 1.4mm




4420 SHINY PEBBLE



4421 SHINY SNOW




4422 SHINY BIRCH



4423 SHINY GREY



4424 SHINY BEIGE



4425 SHINY BRUNETTE




4427 SHINY HAZELNUT




4428 SHINY BLACK



4429 SHINY ONYX



4430 SHINY GRIS




4431 LOREM IPSUM



4432 SHINY SLATE



4433 SHINY COFFEE




4435 LOREM IPSUM




4436 SHINY MUSK



4437 SHINY ECRU



4438 SHINY BLUE



4439 SHINY KHAKI



4440 SHINY

Vivaciously
Graceful

Capture the grandiose vibes of this gleaming range in your decor and reflect refinement.



USED LAMINATE
4436

Dimensions:

Size: 2440mm * 1220mm(8ft * 4ft) * 1.4mm

GENERAL USE & CARE GUIDE

ACRO GLASS laminates are easy to maintain. With proper application and appropriate care, our laminates will last through the years.

- Cleaning should be done with water and a clean, non-abrasive cloth.
- To remove more stubborn stains, use mild household glass cleansers like Colin. Gently wipe the surface with a non-abrasive cloth.
- Avoid the use of abrasive liquid cleansers, bleaching compounds or solution as these may damage the surface of the laminate.
- Do not place hot cookware directly on the laminate. Prolonged exposure to temperatures above 30 degree Celsius may cause damage to the laminate surface.
- Glossy surfaces are recommended only for vertical application.
- Do not use thinner on the surface of the ACRO GLASS laminates.
- Recommended to store the laminates at temperature below 30 °Celsius.

INSTALLATION TIPS:

- Stir the LUXEBOND adhesive before using it, and do not mix water in adhesive.
- Clean the dust particles from the surface of the base substrate (Plywood, MDF, Particle Board) by cloth, soft brush, sponge or sand paper.
- Spread the adhesive uniformly by brush, roller or adhesive spreader on both ACRO GLASS laminate and base substrate (Plywood, MDF, Particle Board).
- Leave at least 2mm of groove between two pieces of ACRO GLASS laminate, so that at the time of pressing it will be easy to remove air from between the ACRO GLASS laminate and base substrate (Plywood, MDF, Particle Board).
- Use soft pinch roller or normal pressing technique at the time of pressing ACRO GLASS laminate on the base substrate (Plywood, MDF, Particle Board). The pressing should be done from the middle of the panel and move towards to the side line and corners of the panel.
- Make sure to give sufficient amount of pressing to ACRO GLASS Laminate for almost 12 to 15 hours to achieve full bonding strength.

IMPORTANT INFORMATION: TO AVOID AIR BUBBLES: Reasons leading to air bubble problems are as follows:

- Bonding of Acrylic laminate under high humidity environment.
- Using of incorrect adhesive type may also lead to air bubble after the installation. We recommend using LUXEBOND adhesive.
- Due to uncertain weather conditions, base substrate (Plywood, MDF, Particle Board) may absorb moisture. After few days of installation, base substrate gradually loses moisture resulting in air bubble formation between acrylic laminate and substrate.
- Using uneven surface substrate (Plywood, MDF, Particle Board) may lead to air vacuum and air bubble may appear after the installation.
- When more than 8'X 2' of Acrylic laminate is used for panelling, it may lead to air bubble formation after installation.
- Lack of bonding/pressing time during the installation of Acrylic laminate may lead to air bubbles.
- ACRO GLASS sheets should be kept evenly straight. If the sheets are in roll form, it should be kept straight for minimum 48 hours and then you can press and laminate the surface for better results.

TO AVOID YELLOW PATCHES AND COLOUR FADE PROBLEM: The reason behind yellowing/colour fade problem areas follows :

- When laminate is exposed to direct sunlight, it may cause discolouring, fading and yellowing of the laminate.
- Use of inferior quality of Dipped plywood/Dipped lipping Patti can react with adhesive which may cause yellow patches after the installation.
- Using of synthetic rubber adhesive (SR / JatPat, Bostic, Heatex) may lead to brown / coloured patches on acrylic laminates. We recommend using LUXEBOND adhesive.
- Prolonged exposure to temperature above 30° degree Celsius
- Placing hot cookware directly on the Acrylic laminates may cause patches on the surface.

LIMITED WARRANTY

Euro Pratik Products are reasonably free of defects and when properly handled and fabricated will comply, within reasonable deviations to applicable manufacturing specifications. Clients are advised to inspect products thoroughly prior to installation. **Euro Pratik** warranty will not cover defects and non-compliance from and or otherwise attributable to any other causes, including without limitation:

- Improper handling/transportation/storage of the products
- Improper installation of the products
- Improper and unintended usage of the products
- Lack of or improper maintenance of the products
- Exposure of the products to extreme temperatures
- Unauthorized alteration to the products
- Outdoor Applications
- NO GUARANTEE AND NO EXCHANGE IN ANY CIRCUMSTANCES
- THERE CAN BE COLOUR VARIATION IN MATERIALS FROM DIFFERENT BATCHES
- IT IS ADVISED TO USE SAME BATCH MATERIAL TO AVOID COLOUR VARIATIONS
- ACTUAL COLOURS OF THE SHEET MAY VARY FROM THIS BROCHURE
- ABRO TAPE USE NOT RECOMMENDED

Recommended ADHESIVE for Pressing



I N D E X

DESIGN NO.	PAGE NO.	COLOR
4511	5	
4512	5	
4513	6	
4514	6	
4515	9	
4516	9	
4517	10	
4518	10	
4519	13	
4525	16	
4526	16	
4527	17	
4528	17	
4521	20	
4522	20	
4523	21	
4311	25	
4312	25	
4313	25	
4314	25	
4315	25	
4316	25	
4317	25	
4318	25	
4319	26	
4320	26	
4321	26	
4322	26	
4323	26	
4324	26	
4325	26	

DESIGN NO.	PAGE NO.	COLOR
4326	26	
4327	26	
4328	26	
4329	27	
4330	27	
4331	27	
4411	31	
4412	31	
4413	31	
4414	31	
4415	31	
4416	31	
4420	32	
4421	32	
4422	32	
4423	32	
4424	32	
4425	32	
4427	33	
4428	33	
4429	35	
4430	35	
4431	35	
4432	35	
4433	35	
4435	35	
4436	36	
4437	36	
4438	36	
4439	36	
4440	36	

DISCLAIMER

The information provided in this catalog is for reference and serves as a guide only. **Euro Pratik** does not warrant the accuracy and completeness of this information nor guarantee any of the properties of the product set out here, suitability of design and application for use are to be determined by the client in consultation with its professional adviser. **Euro Pratik** reserves the right to amend or update product description at any time. Euro Pratik reserves the right to determine that the alleged defect complained about is insubstantial or trivial. **Euro Pratik** is not liable for any damage arising from or related to reliance on this catalog. The intellectual property in this catalog belongs to **Euro Pratik** or its manufacturers.