















30001

Backlit







30001









30002

Backlit









Frontlit 30004-30102 Backlit









Frontlit 30005-30103 Backlit














Frontlit Backlit 30006-30104










30007

Backlit







30007









30008

Backlit










30009

Backlit







30009







Frontlit 30010-30105 Backlit















Frontlit 30011-30111 Backlit















Frontlit 30012-30112 Backlit
















30013-30113

Backlit














Frontlit 30014-30114 Backlit
Thickness: 1.5 mm Thickness: 3 mm













Frontlit 30015-30115 Backlit













Frontlit 30016-30116 Backlit

















Frontlit 30017-30117 Backlit
















30018

Backlit







30018









30019

Backlit









Frontlit 30020-30120 Backlit















Frontlit 30021-30121 Backlit







30021-30121

Backlit









Frontlit 30022-30122 Backlit







30022-30122

Backlit








Frontlit 30023-30123 Backlit
Thickness: 1.5 mm Thickness: 3 mm







30023-30123

Backlit

Thickness: 1.5 mm

Thickness: 3 mm









Frontlit 30024-30124 Backlit







30024-30124

Backlit









web: www.europratik.com E-mail: info@europratik.com

Mobile App Search: europratik







Recommended Cutter Recommended Glue For Pasting: Resibond, Araldite, Bondtite Recommended Glue For Joints:

Resibond, Araldite Klear, Silicone Clear

Euro Pratik products adds natural beauty to your interiors. Color Variance. Slubs, Weave irregularities and Shading that appears in these panels are to enhance natural beauty and are not imperfections. Utmost care has been taken to give accurate description & technical specification. Errors and omissions, if any please excuse. Technical specifications and product are subject to change without prior eligination. Lie areas before machinal to most please excuses. Technical specifications and product are subject to change without prior eligination. Lie areas before machinal to most please.

infimation. Use same batin material to avoid colour variation.

Note: EURO PRATIK warrants that all products are free from manufacturing defects and perfectly fit for use in normal conditions. In case of any claim, the liability of the company is however limited to the cost of the product only.